

Website accessibility review

Please also see the Patient Accessible Information Standard for more information.

References:

Web Content Accessibility Guidelines (WCAG) 2.1 https://www.w3.org/TR/WCAG21/ How to Meet WCAG (Quick Reference) https://www.w3.org/WAI/WCAG21/

Item	Detail	Status	Plan/note
1.1.1 Non-text	All non-text content that is presented to the user has a text alternative that	N/A	No relevant
Content (A)	serves the equivalent purpose, except for the situations listed		content
	below. Understanding 1.1.1		
2.1.1 Keyboard	All functionality of the content is operable through a keyboard interface without	N/A	
(A)	requiring specific timings for individual keystrokes, except where the underlying		
	function requires input that depends on the path of the user's movement and not		
	just the endpoints. <i>Note 1:</i> This exception relates to the underlying function, not		
	the input technique. For example, if using handwriting to enter text, the input		
	technique (handwriting) requires path-dependent input but the underlying		
	function (text input) does not. Note 2: This does not forbid and should not		
	discourage providing mouse input or other input methods in addition to keyboard		
	operation. Understanding 2.1.1		
3.1.1 Language	The default human language of each Web page can be programmatically	Wix	
of Page (A)	determined. Understanding 3.1.1	managed	
4.1.1 Parsing	In content implemented using markup languages, elements have complete start	Wix	
(A)	and end tags, elements are nested according to their specifications, elements do	managed	
	not contain duplicate attributes, and any IDs are unique, except where the		
	specifications allow these features. <i>Note 1:</i> Start and end tags that are missing a		
	critical character in their formation, such as a closing angle bracket or a		
	mismatched attribute value quotation mark are not complete. Understanding		
	4.1.1		
1.2.1 Audio-	For audio-only and video-only media, the following are true, except when the	N/A	No relevant
only and Video-	audio or video is a media alternative for text and is clearly labeled as		content
only: A	such: Understanding 1.2.1		
2.2.1 Timing	For each time limit that is set by the content, at least one of the following is	N/A	No time
Adjustable (A)	true: Turn off: The user is allowed to turn off the time limit before encountering		sensitive
	it; or Adjust: The user is allowed to adjust the time limit before encountering it		processes
	over a wide range that is at least ten times the length of the default setting; or		
	Extend: The user is warned before time expires and given at least 20 seconds to		
	extend the time limit with a simple action (for example, "press the space bar"),		
	and the user is allowed to extend the time limit at least ten times; or Real-time		
	Exception: The time limit is a required part of a real-time event (for example, an		
	auction), and no alternative to the time limit is possible; or Essential Exception:		
	The time limit is essential and extending it would invalidate the activity; or 20		
	Hour Exception: The time limit is longer than 20 hours. Understanding 2.2.1		
3.2.1 On Focus	When any user interface component receives focus, it does not initiate a change	Wix	
(A)	of context. Understanding 3.2.1	managed	
1.3.1 Info and	Information, structure, and relationships conveyed through presentation can be	Checked	Text
Relationships	programmatically determined or are available in text. Understanding 1.3.1		structure
(A)			
2.3.1 Three	Web pages do not contain anything that flashes more than three times in any one	Checked	
Flashes or	second period, or the flash is below the general flash and red flash thresholds.		
Below	Note 1: Since any content that does not meet this success criterion can interfere		
Threshold (A)	with a user's ability to use the whole page, all content on the Web page (whether		



	it is used to meet other success criteria or not) must meet this success criterion.		
	See Conformance Requirement 5: Non-Interference. Understanding 2.3.1		
3.3.1 Error	If an input error is automatically detected, the item that is in error is identified	N/A	
Identification	and the error is described to the user in text. Understanding 3.3.1	,/.	
(A)			
1.4.1 Use of	Color is not used as the only visual means of conveying information, indicating an	N/A	
Color (A)	action, prompting a response, or distinguishing a visual element. <i>Note 1:</i> This	,	
(1.)	success criterion addresses color perception specifically. Other forms of		
	perception are covered in 1.3 including programmatic access to color and other		
	visual presentation coding. Understanding 1.4.1		
2.4.1 Bypass	A mechanism is available to bypass blocks of content that are repeated on	Wix	
Blocks (A)	multiple Web pages. Understanding 2.4.1	managed	
2.5.1 Pointer	All functionality that uses multipoint or path-based gestures for operation can be	Wix	
Gestures (A)	operated with a single pointer without a path-based gesture, unless a multipoint	managed	
Gestares (71)	or path-based gesture is essential. Understanding 2.5.1	managea	
2.1.2 No	If keyboard focus can be moved to a component of the page using a keyboard	Wix	
Keyboard Trap	interface, then focus can be moved away from that component using only a	managed	
(A)	keyboard interface, and, if it requires more than unmodified arrow or tab keys or	managea	
(7.1)	other standard exit methods, the user is advised of the method for moving focus		
	away. <i>Note 1:</i> Since any content that does not meet this success criterion can		
	interfere with a user's ability to use the whole page, all content on the Web page		
	(whether it is used to meet other success criteria or not) must meet this success		
	criterion. See Conformance Requirement 5: Non-Interference. Understanding		
	2.1.2		
3.1.2 Language	The human language of each passage or phrase in the content can be	Wix	
of Parts (AA)	programmatically determined except for proper names, technical terms, words of	managed	
, ,	indeterminate language, and words or phrases that have become part of the		
	vernacular of the immediately surrounding text. Understanding 3.1.2		
4.1.2 Name,	For all user interface components (including but not limited to: form elements,	Wix	
Role, Value (A)	links and components generated by scripts), the name and role can be	managed	
, , ,	programmatically determined; states, properties, and values that can be set by		
	the user can be programmatically set; and notification of changes to these items		
	is available to user agents, including assistive technologies. <i>Note 1:</i> This success		
	criterion is primarily for Web authors who develop or script their own user		
	interface components. For example, standard HTML controls already meet this		
	success criterion when used according to specification. Understanding 4.1.2		
1.2.2 Captions	Captions are provided for all audio content in synchronized media, except when	N/A	No relevant
(A)	the media is a media alternative for text and is clearly labeled as		content
	such. Understanding 1.2.2		
2.2.2 Pause,	For moving, blinking, scrolling, or auto-updating information, all of the following	N/A, Wix	
Stop, Hide (A)	are true: Moving, blinking, scrolling: For any moving, blinking or scrolling	Managed	
	information that (1) starts automatically, (2) lasts more than five seconds, and (3)		
	is presented in parallel with other content, there is a mechanism for the user to		
	pause, stop, or hide it unless the movement, blinking, or scrolling is part of an		
	activity where it is essential; and Auto-updating: For any auto-updating		
	information that (1) starts automatically and (2) is presented in parallel with		
	other content, there is a mechanism for the user to pause, stop, or hide it or to		
	control the frequency of the update unless the auto-updating is part of an activity		
	where it is essential. Understanding 2.2.2		
3.2.2 On Input	Changing the setting of any user interface component does not automatically	Wix	
(A)	cause a change of context unless the user has been advised of the behavior	managed	
	before using the component. Understanding 3.2.2		
1.3.2	When the sequence in which content is presented affects its meaning, a correct	N/A	
Meaningful	reading sequence can be programmatically determined. Understanding 1.3.2		
	1		



3.3.2 Labels or	Labels or instructions are provided when content requires user	N/A	
Instructions (A)	input. Understanding 3.3.2		
1.4.2 Audio	If any audio on a Web page plays automatically for more than 3 seconds, either a	N/A	No
Control (A)	mechanism is available to pause or stop the audio, or a mechanism is available to		autoplay
	control audio volume independently from the overall system volume level. <i>Note</i>		content
	1: Since any content that does not meet this success criterion can interfere with a		
	user's ability to use the whole page, all content on the Web page (whether or not		
	it is used to meet other success criteria) must meet this success criterion. See		
	Conformance Requirement 5: Non-Interference. Understanding 1.4.2		
2.4.2 Page	Web pages have titles that describe topic or purpose. Understanding 2.4.2	Checked	
Titled (A)			
2.5.2 Pointer	For functionality that can be operated using a single pointer, at least one of the	N/A	No gesture
Cancellation (A)	following is true: No Down-Event: The down-event of the pointer is not used to		controls
	execute any part of the function; Abort or Undo: Completion of the function is on		
	the up-event, and a mechanism is available to abort the function before		
	completion or to undo the function after completion; Up Reversal: The up-event		
	reverses any outcome of the preceding down-event; Essential: Completing the		
	function on the down-event is essential. Understanding 2.5.2		
4.1.3 Status	In content implemented using markup languages, status messages can be	Wix/	
Messages (AA)	programmatically determined through role or properties such that they can be	browser	
	presented to the user by assistive technologies without receiving	managed	
	focus. Understanding 4.1.3		
1.2.3 Audio	An alternative for time-based media or audio description of the video content is	N/A	No relevant
Description or	provided for synchronized media, except when the media is a media alternative		content
Media	for text and is clearly labeled as such. Understanding 1.2.3		
Alternative (A)			
3.2.3	Navigational mechanisms that are repeated on multiple Web pages within a set	Wix	
Consistent	of Web pages occur in the same relative order each time they are repeated,	managed	
Navigation (AA)	unless a change is initiated by the user. Understanding 3.2.3		
1.3.3 Sensory	Instructions provided for understanding and operating content do not rely solely	Checked	Instructions
Characteristics	on sensory characteristics of components such as shape, color, size, visual		all in text
(A)	location, orientation, or sound. <i>Note 1:</i> For requirements related to color, refer to		
	1.4. Understanding 1.3.3		
3.3.3 Error	If an input error is automatically detected and suggestions for correction are	N/A	
Suggestion (AA)	known, then the suggestions are provided to the user, unless it would jeopardize		
	the security or purpose of the content. Understanding 3.3.3		
1.4.3 Contrast	The visual presentation of text and images of text has a contrast ratio of at least	N/A	No relevant
(Minimum)	4.5:1, except for the following: Understanding 1.4.3		content
(AA)			
2.4.3 Focus	If a Web page can be navigated sequentially and the navigation sequences affect	Wix	
Order (A)	meaning or operation, focusable components receive focus in an order that	managed	
,	preserves meaning and operability. Understanding 2.4.3		
2.5.3 Label in	For user interface components with labels that include text or images of text, the	Wix	
Name (A)	name contains the text that is presented visually. Understanding 2.5.3	managed	
2.1.4 Character	If a keyboard shortcut is implemented in content using only letter (including	N/A	
Key Shortcuts	upper- and lower-case letters), punctuation, number, or symbol characters, then	-11/14	
(A)	at least one of the following is true: Understanding 2.1.4		
1.2.4 Captions	Captions are provided for all live audio content in synchronized	N/A	No relevant
(Live) (AA)	media. Understanding 1.2.4	TV/A	content
3.2.4	Components that have the same functionality within a set of Web pages are	N/A	No relevant
		N/A	
Consistent	identified consistently. Understanding 3.2.4		content
Identification			
(AA)			

Published May 2022



view and operation to a single display orientation, unless a specific display orientation is 3.4 al commitments or financial transactions for the delete user-controllable data in data storage test responses, at least one of the following is are reversible. Checked: Data entered by the user is the user is provided an opportunity to correct them. vailable for reviewing, confirming, and correcting the submission. Understanding 3.3.4 es of text, text can be resized without assistive without loss of content or g 1.4.4 be determined from the link text alone or from the grammatically determined link context, except	Wix/ Form builder managed Browser managed	
al commitments or financial transactions for the delete user-controllable data in data storage test responses, at least one of the following is are reversible. Checked: Data entered by the user is the user is provided an opportunity to correct them. vailable for reviewing, confirming, and correcting the submission. Understanding 3.3.4 es of text, text can be resized without assistive without loss of content or g 1.4.4 be determined from the link text alone or from the grammatically determined link context, except	Wix/ Form builder managed Browser managed	
al commitments or financial transactions for the delete user-controllable data in data storage test responses, at least one of the following is are reversible. Checked: Data entered by the user is the user is provided an opportunity to correct them. vailable for reviewing, confirming, and correcting the submission. Understanding 3.3.4 es of text, text can be resized without assistive without loss of content or g 1.4.4 be determined from the link text alone or from the grammatically determined link context, except	builder managed Browser managed	
delete user-controllable data in data storage test responses, at least one of the following is are reversible. Checked: Data entered by the user is the user is provided an opportunity to correct them. vailable for reviewing, confirming, and correcting the submission. Understanding 3.3.4 es of text, text can be resized without assistive twithout loss of content or g 1.4.4 be determined from the link text alone or from the grammatically determined link context, except	builder managed Browser managed	
test responses, at least one of the following is are reversible. Checked: Data entered by the user is the user is provided an opportunity to correct them. vailable for reviewing, confirming, and correcting the submission. Understanding 3.3.4 es of text, text can be resized without assistive without loss of content or g 1.4.4 be determined from the link text alone or from the grammatically determined link context, except	managed Browser managed	
are reversible. Checked: Data entered by the user is the user is provided an opportunity to correct them. vailable for reviewing, confirming, and correcting the submission. Understanding 3.3.4 es of text, text can be resized without assistive without loss of content or g 1.4.4 be determined from the link text alone or from the grammatically determined link context, except	Browser managed	
the user is provided an opportunity to correct them. vailable for reviewing, confirming, and correcting the submission. Understanding 3.3.4 es of text, text can be resized without assistive without loss of content or g 1.4.4 be determined from the link text alone or from the grammatically determined link context, except	managed	
vailable for reviewing, confirming, and correcting the submission. Understanding 3.3.4 es of text, text can be resized without assistive without loss of content or g 1.4.4 be determined from the link text alone or from the grammatically determined link context, except	managed	
the submission. Understanding 3.3.4 es of text, text can be resized without assistive without loss of content or g 1.4.4 be determined from the link text alone or from the grammatically determined link context, except	managed	
es of text, text can be resized without assistive without loss of content or g 1.4.4 be determined from the link text alone or from the grammatically determined link context, except	managed	
without loss of content or g 1.4.4 be determined from the link text alone or from the grammatically determined link context, except		
g 1.4.4 be determined from the link text alone or from the grammatically determined link context, except		
grammatically determined link context, except	Charlerd	
grammatically determined link context, except	Checked	
would be ambiguous to users in		
4		
	N/A	No gesture
·	.,,	controls
	N/A	No relevant
·	,	content
ld collecting information about the user can be	Checked	
-		
•		
· · · · · · · · · · · · · · · · · · ·		
	N/A	Info in text
•	,	form
- · · · · · · · · · · · · · · · · · · ·		
-		
•		
	N/A	No relevant
· -		content
• •		
	Checked	
nterface has a mode of operation where the	Browser	
•	managed	
	Wix	
_		
-	Wix	
_		
	trated by device motion or user motion can also be emponents and responding to the motion can be all actuation, except when: Understanding 2.5.4 If or all video content in synchronized of the device of the input field serves a purpose identified in interface Components section; and The content is gies with support for identifying the expected Understanding 1.3.5 Id can achieve the visual presentation, text is used to an images of text except for the image of text can be visually customized to the all A particular presentation of text is essential to the Understanding 1.4.5 Id to locate a Web page within a set of Web pages is the result of, or a step in, a set of the interface has a mode of operation where the interface has a mode of operation where the isible. Understanding 2.4.7 It thout loss of information or functionality, and two dimensions for: Understanding 1.4.10 Inderstanding 1.4.11 Inderstanding 1.4.11 Inderstanding 1.4.11 Inderstanding 1.4.11 Inderstanding 1.4.11 Inderstanding 1.4.12 Inderstanding 1.4.13 Inderstanding 1.4.14 Inderstanding 1.4.15 Inderstanding 1.4.16 Inderstanding 1.4.19 Indersta	Interface has a mode of operation where the sisble. Understanding 2.4.7 thout loss of information or functionality, and two dimensions for: Understanding 2.4.7 thout loss of information or functionality, and two dimensions for: Understanding 1.4.11 g market place is the fort size:: Understanding 1.4.12 moving pointer hover or keyboard focus, unless the additional content without poor of the suntage of text such additional content without coord focus, unless the additional content without coord focus triggers and the property is the forther and the motion

Version 1 Published May 2022 Review May 2023



	Hoverable: If pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing; Persistent: The additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid. Understanding 1.4.13		
1.1 Text	Provide text alternatives for any non-text content so that it can be changed into	N/A	No relevant
Alternatives:	other forms people need, such as large print, braille, speech, symbols or simpler		content
	language.		